




DON $\mu\text{g}/\text{kg}$ in UK Barley from crop years 2020 to 2024
(EU MRL was set at 1250ppb ($\mu\text{g}/\text{kg}$) for DON in cereals for processing in 2007)



3 & 15-AcDON $\mu\text{g/kg}$ in UK Barley from crop years 2020 to 2024




DON 3-Glucoside µg/kg in UK Barley from crop years 2020 to 2024




(EU Guidance Level is currently set at 200ppb (µg/kg) in unprocessed cereals)


NIV $\mu\text{g/kg}$ in UK Barley from crop years 2020 to 2024




Zearalenone $\mu\text{g}/\text{kg}$ in UK Barley from 2020 to 2024 crop years.
(EU MRL was set at 100 ppb ($\mu\text{g}/\text{kg}$) in unprocessed cereals in 2007)




Diacetoxyscirpenol (DAS) $\mu\text{g}/\text{kg}$ in UK Barley from 2020 to 2024 crop years




Fusarenone-X (FUS) µg/kg in UK Barley from 2020 to 2024 crop years



Neosolaniol (NEO) $\mu\text{g}/\text{kg}$ in UK Barley from 2020 to 2024 crop years



OTA µg/kg in UK Barley from crop years 2020 to 2024
(EU MRL set at 5ppb (µg/kg) in barley from 2003)



(EU MRL set at 3ppb ($\mu\text{g/kg}$) for processed cereals in 2003)(EU MRL set at 3ppb ($\mu\text{g/kg}$) for processed cereals in 2003)